Sometimes you need a second chance.

You have 72 hours to act.



In Washington State, women can go directly to certain pharmacies for ECPs. Call the EC hotline for information.

Visit the emergency contraception website
 www.not-2-late,com.

emergency confraception providers. (confidential and free, English and Spanish)

- Call 1-888-NOT-2-LATE (1-888-668-2528) for a list of emergency contracention providers
 - Call your doctor or clinic.

For emergency contraceptive pills:



Emergency Contraceptive Pills

What are emergency contraceptive pills (ECPs)?

- ECPs are a safe and effective method of birth control that prevent pregnancy after sex.
- You should start ECPs within 72 hours (3 days) after unprotected sex if you don't want to become pregnant.
- ECPs are more effective the sooner after sex they are taken.
- ECPs are **not** abortion pills. They will not work if you are already pregnant.

When do I use emergency contraceptive pills?

ECPs can be used if you had unprotected sex in the last 3 days. Use ECPs if:

- · You didn't use any birth control.
- · The condom broke.
- You missed 2 or more birth control pills or started your pack late.
- · Your diaphragm slipped.
- · You missed your birth control shot.
- You were forced to have sex.

How do emergency contraceptive pills work?

ECPs prevent pregnancy by:

- · temporarily stopping an egg from being released, or
- · stopping fertilization of the egg, or
- · stopping a fertilized egg from attaching to the wall of the uterus.

ECPs do not protect against sexually transmitted diseases, including HIV/AIDS.

Are there side effects?

ECPs make some women feel sick to their stomach or vomit. Some women may have sore breasts or headaches. These side effects last about one day. ECPs can also cause some women's periods to come a little early or late. They do not affect a woman's ability to become pregnant in the future.

How do I take emergency contraceptive pills?

- Take the first dose as soon as possible within 72 hours after unprotected sex.
- Take the second dose 12 hours later.
- · Keep a packet of ECPs at home to use when you need them.

Are there different types of ECPs?

- Yes, different types of ECPs have different levels of effectiveness.
- Taken in special doses, some regular birth control pills can be used as emergency contraception.
- Ask your provider or visit www.not-2-late.com.



Dear Colleague,

The Washington State Department of Health (DOH) is pleased to provide cameraready art for printing this educational material. To ensure that the original quality of the piece is maintained, please read and follow the instructions below and the specifications included for professional printing.

- Use the latest version. DOH materials are developed using the most current information available, are checked for clinical accuracy, and are field tested with the intended audience to ensure they are clear and readable. DOH programs make periodic revisions to educational materials, so please check this web site to be sure you have the latest version. DOH assumes no responsibility for the use of this material or for any errors or omissions.
- **Do not alter**. We are providing this artwork with the understanding that it will be printed without alterations and copies will be free to the public. Do not edit the text or use illustrations or photographs for other purposes without first contacting us. Please do not alter or remove any logos, publication numbers or revision dates. If you want to use a part of this publication for other purposes, contact the Office of Health Promotion first.
- For quality reproduction: Low resolution PDF files are intended for black and white or color desktop printers. They work best if you are making only one or two copies. High resolution PDF files are intended for reproducing large quantities and are set up for use by professional offset print shops. The high resolution files also include detailed printing specifications. Please match them as closely as possible and insist on the best possible quality for all reproductions.

If you have questions, contact:
Office of Health Promotion
P.O. Box 47833 Olympia, WA 98504-7833
(360) 236-3736

Sincerely, Health Education Resource Exchange Web Team